LAW OFFICES OF KJERVEN MORRILL LLP

SUITE 700 SAN JOSE, CA 95110 (408) 453-9200 FAX (408) 453-7979 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

pplicarit(s): Fisher, Wayne E.

Assignee:

Peregrine Bridge Transfer Corporation

Title:

Space Management Of An IMS Database

Serial No.:

10/037,933

Filing Date:

October 19, 2001

Examiner:

Unknown

Group Art Unit:

Unknown

Docket No.:

M-10965 US

San Jose, California May 17, 2002

BOX MISSING PARTS COMMISSIONER FOR PATENTS Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS - FILING DATE GRANTED

Dear Sir:

In response to the "Notice to File Corrected Application Papers-- Filing Date Granted" mailed by the United States Patent and Trademark Office on March 26, 2002, the following documents are enclosed to complete the filing of the above-identified patent application:

- 1. Copy of USPTO Form, Notice to File Corrected Application Papers Filing Date Granted; and
 - 2. Substitute Drawings.

The Commissioner is hereby authorized to charge any additional fees, which may be required, or credit any overpayment to Deposit Account No. 19-2386.

It is hereby respectfully submitted that the enclosed documents complete the filing of the above patent application and justify the filing date of October 19, 2001. Please telephone the undersigned at (512) 794-3600, if there are any questions. This form is being submitted in duplicate.

864421 v1

Serial No. 10/037,933

EXPRESS	MAII	IARFI	NO:
LAI KESS	\mathbf{W}		LIV.

EL 803199256 US

Respectfully submitted,

Michael P. Adams

Attorney for Applicant(s)


Reg. No. 34,763

LAW OFFICES OF SKJERVEN MORRILL LLP

25 METRO DRIVE SUITE 700 SAN JOSE, CA 95110 (408) 453-9200 FAX (408) 453-7979

864421 v1

T: 512-794-3600 F: 512-794-3601 San Jose, CA San Francisco, CA Newport Beach, CA



May 17, 2002

Peregrine Bridge Transfer Corporation 11044 Research Boulevard Suite D-300 Austin, TX 78759

Pat. App. entitled "Space Management Of An IMS Database"

Inventor(s):

Fisher, Wayne E.

Filing Date:

October 19, 2001

Our Reference:

M-10965 US

Dear Wayne:

Enclosed is a copy of the most recent documents filed with the United States Patent and Trademark Office ("USPTO"):

1. Response to Notice to File Corrected Application Papers - Filing Date Granted;

2. Copy USPTO Form - Notice to File Corrected Application Papers; and

Substitute Drawings (Figs. 1A, 1B, 2A, 2B, 3, 4A, 4B, 5, 6, 7, 8, 9, 10, 11, 12, 13, 3: 14, 15, 16, 17, 18, 19, 20, 21, 22 - 18 pages).

Should you have any questions, please do not hesitate to contact me.

Very truly yours,

Michael P. Adams

MPA/wk **Enclosures**

864426 v1

cc:

Wayne E. Fisher (w/enclosures)

Sonja Nelson (w/enclosures)







COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/037,933

10/19/2001

Wayne E. Fisher

M-10965 US

CONFIRMATION NO. 7604

Date Mailed: 03/26/2002

FORMALITIES LETTER

OC000000007426617

Michael P. Adams SKJERVEN MORRILL MacPHERSON LLP Suite 700 25 Metro Drive San Jose, CA 95110-1349

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE